Paper Dated: November 19, 2009

In Reply to USPTO Correspondence of July 20, 2009

and Advisory Action of October 7, 2009

Attorney Docket No. 3274-060290

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims

Claim 1 (Currently Amended): A fluorescent molecular wire comprising a polymer main chain having a linked conjugated system, wherein an optically active substituent is linked to the polymer main chain and is conjugated with the polymer main chain, the optically active substituent being represented by the following formula (I):

where R¹ represents a hydrogen atom or an alkyl group having 1 to 10 carbon atoms, R², R³, R⁴, R⁵, R⁶, R⁷, R⁸, and R⁹ represent independently a hydrogen atom, a linear alkyl group having 1 to 30 carbon atoms that may have a substituent, a branched alkyl group having 2 to 30 carbon atoms that may have a substituent, a cyclic alkyl group having 3 to 30 carbon atoms that may have a substituent, or an aralkyl group having 7 to 30 carbon atoms that may have a substituent, and R³ and R⁷ may be bonded respectively to R⁴ and R⁸ to form an alkylene group having 2 to 60 carbon atoms that may have a substituent; and R¹⁰ and R¹¹ represent independently a hydrogen atom or an alkyl group having 1 to 15 carbon atoms that may have a heteroatom, and R¹⁰ and R¹¹ may be bonded to form an alkylene group having 2 to 30 carbon atoms that may have a heteroatom, and R¹⁰ and R¹¹ may be bonded to form an alkylene group having 2 to 30 carbon atoms that may have a heteroatom, and wherein when a complex between the optically active substituent and a primary amine is formed, a charge

Paper Dated: November 19, 2009

In Reply to USPTO Correspondence of July 20, 2009

and Advisory Action of October 7, 2009

Attorney Docket No. 3274-060290

transfer from a receptor site to the polymer main chain is caused, thereby resulting in a quenching of the fluorescence in the fluorescent molecular wire.

Claim 2 (Currently Amended): The fluorescent molecular wire of claim 1 or 8, wherein the polymer main chain having a linked conjugated system is a polyarylene structure, a poly(arylene ethynylene) structure, or a poly(arylene vinylene) structure.

Claim 3 (Currently Amended): The fluorescent molecular wire of claim 1<u>or 8</u>, wherein the polymer main chain having a linked conjugated system is a polyphenylene structure, a poly(phenylene thiophenylene) structure, a poly(phenylene ethynylene) structure, a poly(phenylene ethynylene) structure, or a poly(phenylene vinylene) structure.

Claim 4 (Currently Amended): The fluorescent molecular wire of any one of claims 1 to 3 or 8, wherein the optically active substituent is coupled to the polymer main chain having a linked conjugated system via mono- or poly-arylene, mono- or poly-alkylene, mono- or poly-vinylene, or a combination thereof.

Claim 5 (Currently Amended): The fluorescent molecular wire of any one of claims 1 to 4 or 8, wherein the optically active substituent is represented by the following formula (II):

$$R^{5}$$
 R^{4}
 R^{3}
 R^{2}
 R^{6}
 R^{7}
 R^{6}
 R^{6}
 R^{7}
 R^{6}
 R^{1}
 R^{1}
 R^{2}
 R^{3}
 R^{4}
 R^{5}
 R^{7}
 R^{6}
 R^{1}
 R^{1}
 R^{2}
 R^{3}
 R^{4}
 R^{5}
 R^{5}
 R^{5}
 R^{5}

Paper Dated: November 19, 2009

In Reply to USPTO Correspondence of July 20, 2009

and Advisory Action of October 7, 2009

Attorney Docket No. 3274-060290

where R¹ represents a hydrogen atom or an alkyl group having 1 to 10 carbon atoms; and R², R³, R⁴, R⁵, R⁶, R⁷, R⁸, and R⁹ represent independently a hydrogen atom, a linear alkyl group having 1 to 30 carbon atoms that may have a substituent, a branched alkyl group having 2 to 30 carbon atoms that may have a substituent, a cyclic alkyl group having 3 to 30 carbon atoms that may have a substituent, or an aralkyl group having 7 to 30 carbon atoms that may have a substituent, and R³ and R⁷ may be bonded respectively to R⁴ and R⁸ to form an alkylene group having 2 to 60 carbon atoms that may have a substituent.

Claim 6 (Previously Presented): The fluorescent molecular wire of claim 5, which is represented by the following formula (III):

where R¹² and R¹³ represent independently a hydrogen atom, an alkyl group having 1 to 20 carbon atoms, an alkoxy group having 1 to 20 carbon atoms, a di- or mono-alkylamide group having 1 to 20 carbon atoms, or an. alkyl ester group having 1 to 20 carbon atoms; and n is an integer of 5 or more.

Claim 7 (Currently Amended): A chiral sensor comprising the fluorescent 2057422.DOC Page 4 of 10

Paper Dated: November 19, 2009

In Reply to USPTO Correspondence of July 20, 2009

and Advisory Action of October 7, 2009

Attorney Docket No. 3274-060290

molecular wire of any one of claims 1 to 6 or 8.

Claim 8 (New): The fluorescent molecular wire of claim 1, wherein the fluorescent molecular wire has an improved asymmetry recognition ability compared to a monomeric compound having the same structure as the optically active substituent.